



# HP LaserJet MFP M442dn

## Raising the standard in office printing

Surpass your office printer expectations with the speed, quality, and efficiency of HP LaserJet office printers.



Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. Learn more at: <http://www.hp.com/go/learnaboutsupplies>

### A printer to handle your printing volume needs

- Simplify workflows with automatic paper-handling solutions, efficient scan solutions, and copying.<sup>1,2</sup>
- Conserve resources with automatic two-sided printing—consume up to 50% less paper.
- Capture both sides of the page with ease, using an optional 100-sheet reversing automatic document feeder.<sup>2</sup>
- Launch tasks at the device – streamline copying; capture a two-sided ID; and darken, enlarge, or reduce images.

### Reliable and productive

- Bring together remote monitoring and shared resources to help optimise your print environment.<sup>3</sup>
- Identify new devices and gain insight into printing with HP Web Jetadmin remote discovery and monitoring.<sup>3</sup>
- Easily set up, print, and share printing resources with built-in Ethernet networking.

### Get great value from your office printer

- Help maximise value and minimise budget impact with an attractive purchase price and affordable running costs.
- Help save budget and put affordable MFP performance to work for your business.
- Help protect your investment and get affordable running costs, using Original HP toner cartridges.



2-sided printing



A3/11x17 inch media

## Product walkaround

HP LaserJet MFP M442dn shown

1. Scanner glass (A3)
2. 250 sheet output bin
3. Automatic two-sided printing and copying
4. Front door (access to toner cartridges)
5. 250 sheet input tray 2
6. 4-line LCD, 10-key pad, 4-button quick set
7. Side door (access to fuser and print path)
8. 100 sheet multipurpose tray 1
9. Hi-Speed USB 2.0 printing port networking
10. Built-in Ethernet 10/100Base-TX networking (all models)



## Accessories, Supplies and Support

<b>Supplies</b>	<b>W1335A</b> HP 335A Black Original LaserJet Toner Cartridge (7,400 pages)
	<b>W1335X</b> HP 335X High Yield Black Original LaserJet Toner Cartridge (13,700 pages)
<b>Service and Support</b>	<b>U9JT4E</b> HP 3 year Next Business Day with Defective Media Retention service for HP LaserJet MFP M442 series <b>U9JT5E</b> HP 4 year Next Business Day with Defective Media Retention service for HP LaserJet MFP M442 series <b>U9JT6E</b> HP 5 year Next Business Day with Defective Media Retention service for HP LaserJet MFP M442 series <b>U9JU3PE</b> HP 1 year Post Warranty Next Business Day with Defective Media Retention service for HP LaserJet MFP M442 series

## Technical specifications

<b>Model</b>	HP LaserJet MFP M442dn
<b>Product number</b>	8AF71A
<b>Functions</b>	Print, copy, scan
<b>Control panel</b>	4-Line LCD, power button LED (White 1EA) Navi. Key LED (White 4EA) status LED (Green 1EA, Orange 1EA), power key, start key, stop key, cancel key, reset key, numerical key (12EA), OK key, menu key (2EA), mode key (2EA), function key (4EA)
<b>Print</b>	
<b>Print technology</b>	Laser
<b>Print speed</b>	<b>Black (A4, normal):</b> Up to 24 ppm; <b>Black (A4, duplex):</b> Up to 12 ppm;
<b>First page out</b>	<b>Black (A4, ready):</b> As fast as 7.7 sec; <b>Black (A4, sleep):</b> As fast as 21.6 sec;
<b>Print resolution</b>	<b>Black (best):</b> Up to 1200 x 1200 dpi;
<b>Monthly duty cycle<sup>1</sup></b>	Up to 50,000 pages per month A4; <b>Recommended monthly page volume<sup>2</sup>:</b> 2,000 to 5,000 pages
<b>Printer smart software features</b>	4 line LCD, 4 Quick-set buttons
<b>Standard print languages</b>	PS, PCL 6
<b>Fonts and typefaces</b>	49 Scalable Fonts / 1 Bitmap
<b>Print area</b>	<b>Print margins</b> Top: 4.5 mm, Bottom: 4.5 mm, Left: 4.5 mm, Right: 4.5 mm; Maximum print area : 297 x 432 mm
<b>Duplex printing</b>	Automatic (standard)
<b>Copy</b>	
<b>Copy speed</b>	<b>Black (A4):</b> Up to 24 cpm
<b>Copier specifications</b>	600 x 600 dpi x 2 bit; Originals content settings: Text, Text/Photo, Photo, Map; Reduce/Enlarge scaling: 25 to 400% ; Copy qty settings: 1 to 999; Darkness controls: 11 levels (Light, Normal, Dark); Collation: Yes (Limited); N-up: A3: 2/4/8/16-up; A4: 2/4/8-up; <b>Maximum number of copies:</b> Up to 999 copies; <b>Reduce/Enlarge:</b> 25 to 400%
<b>Scan</b>	
<b>Scan speed</b>	<b>Normal (A4):</b> Up to 33 ipm (black and white); Up to 33 ipm (colour); <b>Duplex (A4):</b> Up to 13 ipm (black and white); Up to 12 ipm (colour)
<b>Scan file format</b>	PDF, JPEG, TIFF
<b>Scanner specifications</b>	<b>Scanner type</b> Flatbed; <b>Scan technology:</b> Digital-CMOS Image Sensors (D-CIS); <b>Twain version:</b> Version 2.1; <b>Duplex ADF scanning:</b> Optional; <b>Scan size maximum (flatbed, ADF):</b> 297 x 432 mm; <b>Optical scan resolution:</b> Up to 600 dpi
<b>Scanner advanced features</b>	Scan to E-mail; Scan to FTP; Scan to SMB; Scan to PC
<b>Scannable area</b>	<b>Maximum media size (flatbed):</b> 297 x 432 mm
<b>Bit depth/ Grey scale levels</b>	24-bit / 256
<b>Digital sending</b>	Standard: Scan to E-mail; Send to FTP; Send to SMB; Local Address Book; SMTP over SSL/TLS
<b>Processor speed</b>	600 MHz
<b>Connectivity</b>	
<b>Standard</b>	Hi-Speed USB 2.0 Device, Ethernet 10/100 Base TX
<b>Wireless</b>	No
<b>Supported network protocols</b>	IP Management: DHCP, DHCPv6, BOOTP, AutoIP, Static; Discovery Protocol: UPnP, mDNS, DNS, WINS; Printing Protocol: TCP/IP (9100), TCP/IP (9100)v6, LPR, LPRv6, IPP, WSD; Management Protocol: SNMPv1.2, SNMPv1.2(IPv6), SNMPv3, SNMPv3(IPv6, HTTP); Scan Protocol: Twain for Network, SMTP, SMB, FTP; Security Protocol: IPsec
<b>Network capabilities</b>	Standard (build-in 10/100 Base TX Ethernet)
<b>Memory</b>	<b>Standard:</b> 512 MB
<b>Media handling</b>	
<b>Number of paper trays</b>	<b>Standard:</b> 2 ; <b>Maximum:</b> 2
<b>Media types</b>	Plain, Mid-weight, Light, Coloured, Preprinted, Recycled, Intermediate, Prepunched
<b>Media size</b>	<b>Custom (metric):</b> Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 354 mm <b>Supported (metric):</b> A3; A4; A5; A6; B4 (JIS); B5 (JIS); 8K; 16K; Oficio 216 x 340 mm

<b>Model</b>	HP LaserJet MFP M442dn
<b>Product number</b>	8AF71A
<b>Media handling</b>	<b>Standard input:</b> Tray 1: 100 sheet; Tray 2: 250 sheet <b>Standard output:</b> Up to 250 Sheets
<b>Media weight</b>	Tray 1: 60 to 163 g/m <sup>2</sup> ; Tray 2: 60 to 110 g/m <sup>2</sup>
<b>Input capacity</b>	<b>Tray 1:</b> Sheets: 100 <b>Tray 2:</b> Sheets: 250 <b>Maximum:</b> Up to 350 Sheets
<b>Output capacity</b>	<b>Standard:</b> Up to 250 Sheets Envelopes: Occasional use only Transparencies: No <b>Maximum:</b> Up to 250 Sheets
<b>Compatible operating systems<sup>3</sup></b>	Windows 7 (32/64-bit); Windows 2008 Server R2; Windows 8 (32/64-bit); Windows 8.1 (32/64-bit); Windows 10 (32/64-bit); Windows 2012 Server; Windows 2016 Server; Red Hat Enterprise Linux : 5, 6, 7; Fedora : 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26; openSUSE : 11.2, 11.4, 12.1, 12.1.2, 12.3, 13.1, 13.2, 42.1; Ubuntu : 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10, 16.04, 16.10, 17.04, 17.10, 18.04, 18.10, 19.04; SUSE Linux Enterprise Desktop : 10, 11, 12; Debian : 6, 7, 8, 9; Linux Mint : 15, 16, 17, 18
<b>Compatible network operating systems</b>	Windows OS compatible with In-Box Driver; Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services); Windows Server 2008 32/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services); Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services); Windows OS compatible with Universal Print Driver (UPD) or Product-Specific drivers from <a href="http://www.hp.com">http://www.hp.com</a> ; Windows Server 2003/2003 R2 32/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Windows Server 2008/2008 R2 32/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services); Windows 8 (32/64-bit) recommend v5.86+, 8.1 recommend v5.94+; Windows 7 (32/64-bit) recommend v5.82+; Windows Vista (32/64-bit) recommend v5.82+; Windows XP/SP3 (32/64-bit) recommend v5.82+
<b>Minimum system requirements</b>	<b>Windows:</b> CD-ROM or DVD drive, or Internet connection; Dedicated USB or network connection or Wireless connection; 200 MB available hard disk space; For OS hardware requirements see <a href="http://www.microsoft.com">http://www.microsoft.com</a> for Windows; Pentium IV 2.4GHz (Intel Core™2); RAM 512 MB (1 GB); Free available hard disk space 1 GB (2 GB) for Linux
<b>Software included</b>	Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Driver, HP MFP Scan, HP Scan to PC Lite
<b>Security management</b>	Embedded Web Server: password protection/encryption, Secure Erase of Client Data, configurable login failure policy, configurable auto logout, Certificate Management, Pre-Shared Key Authentication, Support for WJA-10, IPv4/v6/mac address filtering, SMTP server Certificate Validation, Encrypted Customer Data Storage, secure browsing via SSL/TLS, SMTP over SSL/TLS, IPP over SSL/TLS, IPsec, SNMPv3
<b>Printer management</b>	HP Web Jetadmin
<b>Dimensions and weight</b>	
<b>Printer dimensions (W x D x H)</b>	<b>Minimum:</b> 560 x 540 x 417 mm; <b>Maximum:</b> 960 x 1090 x 933 mm
<b>Package dimensions (W x D x H)</b>	738 x 721 x 678 mm
<b>Printer weight</b>	25.4 kg (includes supplies)
<b>Package weight</b>	31.5 kg
<b>Operating environment</b>	<b>Temperature:</b> 10 to 30°C <b>Humidity:</b> 20 to 80% RH
<b>Storage conditions</b>	<b>Temperature:</b> -20 to 40°C
<b>Acoustics</b>	<b>Acoustic power emissions:</b> 6.6 B(A) (printing at 24 ppm) <b>Acoustic pressure emissions:</b> 51 dB(A)
<b>Power<sup>4</sup></b>	<b>Requirements:</b> AC 220 - 240V: 50/60Hz, Normal Operation 550W; Ready 80W; Max/Peak 1.1 kWh; Sleep/Power Off 1W/0.2W; TEC 0.350 kWh/Week (22PPM: 0.310 kWh/Week; 23PPM: 0.330 kWh/Week; 24PPM: 0.350 kWh/Week; 25PPM: 0.370 kWh/Week); <b>Consumption:</b> 580 watts (active printing), 80 watts (ready) 0.7 watts (sleep), 0.2 watts (off); <b>Typical Electricity Consumption (TEC):</b> 1.100 kWh/Week; <b>Power supply type:</b> Built-in Universal Power supply;
<b>Certifications</b>	CISPR 32:2012/EN 55032:2012 Class A, EN 61000-3-3:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU with CE Marking (Europe), other EMC approvals as required by individual countries.
<b>Country of origin</b>	Made in China
<b>What's in the box<sup>5</sup></b>	HP LaserJet MFP M442dn printer; Power cord; Toner Cartridge; User Guide; USB cable
<b>Warranty</b>	One-year, on-site limited warranty

## Footnotes

<sup>1</sup> Automatic two-sided printing is standard on the HP LaserJet MFP "dn" and "nda" models.

<sup>2</sup> Reversing automatic document feeder is standard on the HP LaserJet MFP "nda" model. Requires a separate purchase for the HP LaserJet MFP "dn" model. Installation from HP Authorized service provider only.

<sup>3</sup> Not all HP Web Jetadmin features are supported. HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>.

## Technical specifications disclaimers

<sup>1</sup> Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

<sup>2</sup> HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

<sup>3</sup> Windows 7 or higher.

<sup>4</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 230V device.

<sup>5</sup> Ships with one HP Original Black LaserJet Introductory Toner cartridge (yield 4,000 pages) and one HP Original Imaging Drum ( yield 80,000 pages). Declared yield value in accordance with ISO/IEC 19752 in continuous printing. Actual yields vary considerably based on images printed and other factors. For more information visit: <http://www.hp.com/go/learnaboutsupplies>.



© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 4AA7-6931, April 2020

